

# Compression Latch Pr22.1 with Spring-Loaded Flap

7-071



## Advantages

- The flap is standing upright (90°) in unlocked position and closes, when compression latch is closed securely.
- The flap indicates locking position and protects against dust and water.
- Compression 6 mm.
- Seismic-proof according to GR-63-CORE, Issue 4.
- Fire protection tested with E60 classification according to DIN EN 45545-3.
- Vibration-proof according to DIN EN 61373.
- IP65/IP67 according to DIN EN 60529.
- RH and LH version.
- Grounding by grounding nut.
- Version b): secured against unintended opening at low pressure or high-speed.
- Flat external seal (1.) damps the flap.
- Circumferential handle bar allows easy handling also with work- or safety gloves.

## Material

- **Housing, flap, insert, grounding nut:** AISI 316
- **Screw, nut and spring:** stainless steel
- **O-ring:** NBR

## Remarks

(S) Door-thickness max. 8mm

On request available with reflecting sticker on the inside.

Please configure the quarter-turn with insert and cam.

1. flat external seal

## Compression Latch with insert, version RH, closing left

	Product number	Insert	Installation type	Delivery Unit
a)	248-9603.00-00001	Double bit 3mm pin	screw-on	1 pc.
a)	248-9603.00-00002	Double bit 5mm pin	screw-on	1 pc.
a)	248-9603.00-00003	Square 8mm	screw-on	1 pc.

	Product number	Insert	Installation type	Delivery Unit
a)	248-9603.00-00004	Triangular 8mm	screw-on	1 pc.
a)	248-9603.00-00005	Conical square 9mm	screw-on	1 pc.

### Compression Latch with insert, version LH, closing right

	Product number	Insert	Installation type	Delivery Unit
a)	248-9652.00-00001	Double bit 3mm pin	screw-on	1 pc.
a)	248-9652.00-00002	Double bit 5mm pin	screw-on	1 pc.
a)	248-9652.00-00003	Square 8mm	screw-on	1 pc.
a)	248-9652.00-00004	Triangular 8mm	screw-on	1 pc.
a)	248-9652.00-00005	Conical square 9mm	screw-on	1 pc.

### Compression Latch with insert, version RH, closing left, spring secured

	Product number	Insert	Installation type	Delivery Unit
b)	248-9604.00-00001	Double bit 3mm pin	screw-on	1 pc.
b)	248-9604.00-00002	Double bit 5mm pin	screw-on	1 pc.
b)	248-9604.00-00003	Square 8mm	screw-on	1 pc.
b)	248-9604.00-00004	Triangular 8mm	screw-on	1 pc.
b)	248-9604.00-00005	Conical square 9mm	screw-on	1 pc.

### Compression Latch with insert, version LH, closing right, spring secured

	Product number	Insert	Installation type	Delivery Unit
b)	248-9653.00-00001	Double bit 3mm pin	screw-on	1 pc.
b)	248-9653.00-00002	Double bit 5mm pin	screw-on	1 pc.
b)	248-9653.00-00003	Square 8mm	screw-on	1 pc.
b)	248-9653.00-00004	Triangular 8mm	screw-on	1 pc.
b)	248-9653.00-00005	Conical square 9mm	screw-on	1 pc.

