

Pin Hinge Pr02 120°

4-392



Advantages

- Hinge with spring-loaded pin.
- For nested doors.
- Hinge concealed.
- RH and LH version.
- 120° Opening angle.
- With springloaded pin for extension of the door.

Material


- **Door-part:** steel, untreated or steel, zinc plated
- **Pin:** steel, zinc plated
- **Spring:** stainless steel

Remarks

Versions Ø5mm are just welded-on.

Versions Ø4mm and Ø6mm are welded-on and screwed-on.

Drawn is right version.



Pin hinge

	Product number	Door-part	Version	Pin length L	Pin diameter	Pin version	Installation type	Delivery Unit
a)	245-9001.00-00000	zinc plated	RH	58 mm	4 mm	spring-loaded	screw-on	10 pcs.
b)	245-9103.00-00000	untreated	RH	82 mm	5 mm	spring-loaded	weld-on	10 pcs.
c)	245-9113.00-00000	untreated	RH	82 mm	6 mm	spring-loaded	weld-on	10 pcs.
d)	245-9101.00-00000	untreated	RH	82 mm	6 mm	spring-loaded	screw- / weld-on	10 pcs.
d1)	245-9107.00-00000	zinc plated	RH	82 mm	6 mm	spring-loaded	screw-on	10 pcs.
a)	245-9002.00-00000	zinc plated	LH	58 mm	4 mm	spring-loaded	screw-on	10 pcs.
b)	245-9104.00-00000	untreated	LH	82 mm	5 mm	spring-loaded	weld-on	10 pcs.

	Product number	Door-part	Version	Pin length L	Pin diameter	Pin version	Installation type	Delivery Unit
d)	245-9102.00-00000	untreated	LH	82 mm	6 mm	spring-loaded	screw- / weld-on	10 pcs.
d1)	245-9108.00-00000	zinc plated	LH	82 mm	6 mm	spring-loaded	screw-on	10 pcs.
b)	245-9105.00-00000	untreated	not assembled	82 mm	5 mm	spring-loaded	weld-on	10 pcs.
d)	245-9106.00-00000	untreated	not assembled	82 mm	6 mm	spring-loaded	screw- / weld-on	10 pcs.
d1)	245-9109.00-00000	zinc plated	not assembled	82 mm	6 mm	spring-loaded	screw-on	10 pcs.

